SAFETY DATA SHEET

PRODCUT NAME: Kenra Cream Bleach

FILE NO.: KenCBr1

MSDS DATE: 10/12/2016

SAFETY DATA SHEET — 16 Sections

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION					
Product Identifier	Kenra Crea	m Bleach	[WHMIS Classification] Excluded		
Product Use	Personal Care/Use - Cosmetic - Hair Bleach			Revision 1	
Manufacturer's Name	Bright International Corporation				
Street Address	1301 West Industrial Drive (P.O. Box 6)				
City	Coolidge			State	Arizona
Postal Code	85128		Emergency Telephone	520.723.8001/ (Chemtrec) 800-424-9300
Date MSDS Prepared	10/12/2016 MSDS Prepared By		Stacey J. LeBlanc	Phone Number	520.316.7628

D : (5:		SECTION 2 – HA		Inhalation	
Route of Entry [Emergency	Skin Contact	Skin Absorption	☑Eye Contact		☑Ingestion
Overview]	intended and reas	•		sale for consum	ners and other users under
[WHMIS Symbols]	NA		Classification	: Oxidizer Class Acute Toxicity	s 1 v 4; Skin Irritation 2; Eye Irritation 2A
			Signal Word:	Danger	· · · · · · · · · · · · · · · · · · ·
[Potential Health	Effects] CAUTION. Eye irritant. M				
	May induce irritation or spiratory tract irritant. Merately toxic.			individuals.	
• Irritant (skin an • Acute Toxicity • Respiratory Tra	(harmful) act Irritant	Respiratory Tract Irritant	H270: May cause H303: May be ha H305: May be ha H313: May be ha H317: May cause H319: Causes se H334: May cause	e or intensify fire; oxion armful if swallowed armful if swallowed an armful in contact with e an allergic skin reacerious eye irritation	nd enters airways skin ction symptoms or breathing difficulties if inhaled
P103: Read label P232: Protect from P233: Keep conta	of reach of children before use		P262: Do not get P264: Wash han P270: Do not eat	athing dust/fume/gas/ t in eyes, on skin, or o ds thoroughly after h t, drink or smoke whe onal protective equipn	on clothing nandling en using this product
P301+310+330+0 vomiting; Im P302+P313+P33 irritation or a P304+P313+P34 fresh air and Get medica P305+P313+P33 several min	nutionary Statement 331: IF SWALLOWED: Rinse mediately call a POISON CENTER 3+352: IF ON SKIN: Wash wi a rash occurs, get medical ad 1 IF INHALED: If breathing is d keep at rest in a position co l advice/attention if breathing 7+351+338: IF IN EYES: Rins utes. Remove contact lenses sing. If eye irritation persists, ntion	R or doctor/physician th soap and water; If skin vice/attention difficult, remove victim to mfortable for breathing. difficulty continues. se cautiously with water for if present and easy to do –	P402+404: Store P403+233: Store		e in a closed container place. Keep container tightly closed



SAFETY DATA SHEET FILE NO.: KenCBr1
PRODCUT NAME: Kenra Cream Bleach MSDS DATE: 10/12/2016

Hazardous Ingredients (specific)	%	CAS Number	LD ₅₀ of Ingredient (specify species and route)	LC ₅₀ of Ingredient (specify species)
Potassium Persulfate	25 – 35	7727-21-1	DERMAL LD ₅₀ : > 10 g/kg (rabbit) ORAL LD ₅₀ : 1,130 mg/kg (rat) [>42.9 mg/L (rat)
Mineral Oil	15 - 25	8042-47-5	ORAL LD ₅₀ : >5,000 mg/kg (rat)	ND
2-Methyl-1-propene	7 – 14	Polymer	ORAL LD ₅₀ : >2,000 mg/kg (rat)	ND
Sodium Metasilicate	7 – 10	12125-28-9	Oral LD50: 1,280 mg/kg (rats)	ND
Sodium Silicate	5 – 10	1344-09-8	ORAL LD ₅₀ : 3,400 mg/kg (rats)	ND
Sodium Persulfate	5 – 10	7775-27-1	DERMAL LD50: > 10 g/kg ORAL LD50: 1,200 mg/kg (rat)	5.1 mg/l (rat)
Ammonium Persulfate	2 – 5	7727-54-0	DERMAL LD ₅₀ : > 2,000 mg/kg (rabbit) ORAL LD ₅₀ : 820 mg/kg (rat)`	> 2.95 mg/1 (4 h) (rat)
Aluminum Distearate	1 – 3	300-92-5	ORAL LD ₅₀ : >4,000 mg/kg (rat)	ND
Sodium Stearate	1 – 3	822-16-2	ORAL LD ₅₀ : >2,000 mg/kg (rat)	ND
Silica	1 - 3	7631-86-9	9 Dermal LD50 >2000 mg/kg (rabbit) >2.2 mg/L (rat) Oral LD50 >5000 mg/kg (rat)	
Hydroxyethyl Cellulose	1 – 3	9004-62-0	ND	ND
Sodium Lauryl Sulfoacetate	1 – 3	1847-58-1	ORAL LD ₅₀ : 700 mg/kg (rat)	ND

INCI Ingredient List:: Potassium Persulfate, Mineral Oil, 2-Methyl-1-Propene, Sodium Metasilicate, Sodium Silicate, Sodium Persulfate, Ammonium Persulfate, Aluminum Distearate, Sodium Stearate, Silica, Hydroxyethyl Cellulose, Sodium Lauryl Sulfoacetate, Disodium EDTA, Hydrated Silica

SECTION 4 - FIRST AID MEASURES

Skin Contact: Flush with water for at least 15 minutes. If irritation occurs and persists, obtain medical attention.

Eye Contact: Flush with water for at least 15 minutes. If irritation occurs and persists, obtain medical attention.

Inhalation: Remove to fresh air. If breathing difficulty or discomfort occurs and persists, contact a medical doctor.

Ingestion: Rinse mouth with water. Dilute by giving 1 or 2 glasses of water. Do not induce vomiting unless advised by physician. Never give anything by mouth to an unconscious person. See a medical doctor immediately.

NOTES TO MEDICAL DOCTOR: This product has moderate oral toxicity and is minimally irritating to the eyes. Flooding of exposed areas with water is suggested, but gastric lavage or emesis induction for ingestions must consider the possible aggravation of esophageal injury and the expected absence of systemic effects. Treatment is controlled removal of exposure followed by symptomatic and supportive care.

Flammable ☐ Yes ☑No If yes, under which conditions?					
Means of Extinction: Deluge with Water	r only	-			
Flashpoint (°C) and Method: NA	Upper Flammable Limit: Non-Combustible (% by volume):	Lower Flammable Limit: Non-Combustible (% by volume):			
Autoignition Temperature (°C)	Explosion Data: Not Available — Sensitivity to Impact:	Explosion Data: Not Available — Sensitivity to Static Discharge			
Hazardous Combustion Products: Oxyg	en that supports combustion and oxides of sulfur	and nitrogen; Hydrogen			
Fire Fighting Procedures/Equipment: Do	not use carbon dioxide or other gas filled fire ext	inquishers: they will have no effect on			

SAFETY DATA SHEET FILE NO.: KenCBr1
PRODCUT NAME: Kenra Cream Bleach MSDS DATE: 10/12/2016

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures: Spilled material should be collected and put in approved DOT container and isolated for disposal. Isolated material should be monitored for signs of decomposition (fuming/smoking). If spilled material is wet, dissolve with large quantity of water and dispose. All disposals should be carried out according to regulatory agencies procedures.

Personal Protection

Wear chemical goggles, body-covering protective clothing, chemical resistant gloves, and rubber boots, NIOSH-approved dust respirator where dust occurs. See section 8.

Small Spill Cleanup:

Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust Use appropriate Personal Protective Equipment (PPE). See section 8.

Large Spill Cleanup

Keep unnecessary people away; isolate hazard area and deny entry. Do not touch or walk through spilled material. Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust. Use appropriate Personal Protective Equipment (PPE). See section 8. In case of contact with water, prevent runoff from entering into storm sewers and ditches, which lead to natural waterways. Neutralize contaminated area and flush with large quantities of water. Comply with applicable environmental regulations.

SECTION 7 – HANDLING AND STORAGE

Handling Procedures and Equipment: Use only with adequate ventilation and avoid inhalation. Avoid contact with eyes and skin (other than areas of application). Do not inhale or ingest. Prepare and use in a well-ventilated area. Use adequate ventilation when transferring product from bags or drums. Wear respiratory protection if ventilation is inadequate or not available. Use eye and skin protection. Use clean plastic or stainless steel scoops only.

Storage Requirements: Store (unopened) in a cool, clean, dry place away from point sources of heat, e.g.radiant heaters or steam pipes. Use first in, first out storage system. Avoid contamination of opened product. Do not store with or near fuels, solvents or other organic materials. Avoid heat, moisture and reducing agents. In case of fire or decomposition (fuming/smoking) deluge with plenty of water to control decomposition.

SECTION 8 – EXPOSURE CONTROL/PERSONAL PROTECTION						
Exposure Limits ACGIH TL\	/ 0.1 mg/m³ (Sodiur	n/Potassium Persulfate	e) 🗹 OSHA PEI	Not Established	Other (specify) 15	5 mg/m ³ Total Dust
such as in the manufacturing of	Specific Engineering Controls (such as ventilation, enclosed process): None required for product use. For handling large quantities of material, such as in the manufacturing of product, ventilation should be utilized. Local exhaust ventilation is not typically required for product use. For handling large quantities of material, such as in the manufacturing of product Local Exhaust: Explosion proof. Mechanical (general): Explosion proof.					
Personal Protective Equipment If checked, please specify type	☑ Gloves	☐ Respirator	☑ Eye	☐ Footwear	☑ Clothing	☑ Other
Plastic or rubber gloves should be worn during product application and preparation. Safety glasses should be considered to protect from eye irritation. Apron may be used for product handling. Ensure all work surfaces are clean. Metal instruments should not be used with this product or stored inside product containers.						



Page 3 of 6

SAFETY DATA SHEET
PRODCUT NAME: Kenra Cream Bleach
FILE NO.: KenCBr1
MSDS DATE: 10/12/2016

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES				
Physical State: Solid	Odor and Appearance : Smooth white cream (putty like)	Odor Threshold (ppm) : Not Determined		
Specific Gravity:(water = 1) 1.4 - 1.5	Vapor Density (air = 1) : NA	Vapor Pressure (mmHg) : NA		
Evaporation Rate: NA	Boiling Point (°C) : NA	Freezing Point (°C) : NA		
pH : (1% aqueous) 10 su - 11 su	Coefficient of Water/Oil Distribution : NA	[Solubility in Water] : dispersable		

SECTION 10 – STABILITY AND REACTIVITY			
Chemical Stability ☑Yes ☐ No If no, under which conditions?			
Incompatibility with Other Substances ☑ Yes ☐ No If yes, which ones?	Acids, alkalis, halides (fluorides, chlorides, bromides and iodides), combustible materials, most metals and heavy metals, oxidizable materials, other oxidizers, reducing agents, cleaners, and organic or carbon containing compounds.		
Conditions to Avoid:	Heat, moisture and contamination.		
Conditions to Avoid.	reat, mosture and contamination.		
Hazardous Decomposition Products	Oxygen that supports combustion and oxides of sulfur and nitrogen; Hydrogen		

SECTION 11 - TOXI	COLOGICAL INFORMATION
No toxicological testing has been performed on this product.	Information in this section is based on toxicology of individual components.
Effects of Acute Exposure	
Irritation of eyes, skin and mucous membranes. Possible irrof which may be delayed.	ritant/allergic dermatitis and respiratory signs and symptoms, the onset
Effects of Chronic Exposure	
Possible allergic dermatitis. Possible respiratory sensitization	on could occur.
Irritancy of Product: Product is known to be a moderate irritant	
Skin Sensitization: Can cause irritation and possible dermatitis. Can exacerbate dermatological issues such as eczema.	Respiratory Sensitization: Irritant and can exacerbate bronchitis and bronchial asthma
Carcinogenicity — IARC: No components recognized as carcinogenic	Carcinogenicity — ACGIH: No components recognized as carcinogenic
Reproductive Toxicity: No components recognized as being reproductive toxin	Teratogenicity: No components recognized as being teratogen
Embryotoxicity: No components listed as causing birth defects	Mutagenicity: No components recognized as being mutagen
Note: LD_{50} and LC_{50} data is presented in Section 3. The calculated ATE LD_{50}	50 for this material is 1,749 mg/kg

SAFETY DATA SHEET FILE NO.: KenCBr1
PRODCUT NAME: Kenra Cream Bleach MSDS DATE: 10/12/2016

SECTION 12 – ECOLOGICAL INFORMATION

The product itself has not been tested as a whole, but the following results have been associated with some of its constituents:

Potassium/Sodium Persulfate:

Bluegill sunfish, 96-hour $LC_{50}=771$ mg/L Rainbow Trout, 96-hour $LC_{50}=163$ mg/L Daphnia, 48-hour $LC_{50}=133$ mg/L Grass shrimp, 96 hour $LC_{50}=519$ mg/L

Ammonium Persulfate Bluegill sunfish, 96-hr LC_{50} 103 mg/L Rainbow trout, 96-hr LC_{50} 76.3 mg/L Daphnia, 48-hr LC_{50} = 120 mg/L Grass shrimp. 96-hr LC_{50} = 391 mg/L

Silica

Pseudokirchneriella subcapitata 72 Hr EC₅₀: 440 mg/L Brachydanio rerio 96 Hr LC₅₀: 5000 mg/L [static] Ceriodaphnia dubia 48 Hr EC₅₀: 7600 mg/L

Sodium Metasilicate

Brachydanio rerio 96 Hr LC₅₀: 210 mg/L [semi-static]

Brachydanio rerio 96 Hr LC₅₀: 210 mg/L

Sodium Lauryl Sulfoacetate Algae EC50 Algae 1.9 mg/l, 72 hours Crustacea LC50 Crustacea 5.9 mg/l, 48 hours Fish LC50 Fish 4.2 mg/l, 96 hours

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal: Hair bleaching products are ignitable RCRA hazardous wastes when intended for disposal. Physical and/or chemical deactivation/degradation is the required method of treatment and disposal.

RCRA HAZARD CLASS: D001

Follow all local governmental requirements intended for disposal.

CHEMICAL FATE: Biodegradability does not apply to inorganic substances.

SECTION 14 – TRANSPORT INFORMATION

Please be aware of carrier transport variations before shipping hazardous materials.

[USDOT]

In Consumer Packaging: ORM-D; Consumer Commodity or Limited Quantity LABELING: ORM-D Label or Black and White square on point without "Y"

OTHER THAN CONSUMER PACKAGING:

ID NUMBER: UN 1479

PROPER SHIPPING NAME: Oxidizing solid, n.o.s.

TECHNICAL NAME: (Potassium Persulfate, Ammonium Persulfate, and Sodium Persulfate)

HAZARD CLASS: 5.1 PACKING GROUP: III

LABELING: Yellow 5.1 Oxidizer Label

[ICAO]

In Consumer Packaging: Limited quantity (maximum net quantity per package) <10 kg

ID NUMBER: UN 1479

PROPER SHIPPING NAME: Oxidizing solid, n.o.s.

TECHNICAL NAME: (Potassium Persulfate, Ammonium Persulfate, and Sodium Persulfate)

HAZARD CLASS: 5.1 PACKING GROUP: III

LABELING: Black and White square on point with "Y" in center

OTHER THAN CONSUMER PACKAGING: <25 kg (passenger) or <100 kg (cargo)

ID NUMBER: UN 1479

PROPER SHIPPING NAME: Oxidizing solid, n.o.s.

TECHNICAL NAME: (Potassium Persulfate, Ammonium Persulfate, and Sodium Persulfate)

HAZARD CLASS: 5.1 PACKING GROUP: III

LABELING: Yellow 5.1 Oxidizer Label



Page 5 of 6

SAFETY DATA SHEET FILE NO.: KenCBr1 PRODCUT NAME: Kenra Cream Bleach MSDS DATE: 10/12/2016

SECTION 15 – REGULATORY INFORMATION

[WHMIS Classification] EXCLUDED as Cosmetic

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT)

CERCLA DESIGNATION & REPORTABLE QUANTITIES (RQ) (40 CFR 302.4): Unlisted, RQ 100 lbs., Ignitability

TSCA (TOXIC SUBSTANCE CONTROL ACT) TSCA INVENTORY STATUS (40 CFR 710):

This product is not required to be listed under TSCA. However, the ingredients of this product are listed on the TSCA inventory

RCRA (Resource Conservation and Recovery Act)

Unused material would be classified as an Ignitable Waste (D001) and should be handle appropriately according Local, State, and Federal laws.

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT) SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355, APPENDIX A):

SECTION 311 HAZARD CATEGORIES (40 CFR 370): Fire Hazard, Immediate (Acute) Health Hazard

SECTION 312 THRESHOLD PLANNING QUANTITY (40 CFR 370): The Threshold Planning Quantity (TPQ) for this product, if treated as a mixture, is 10,000lbs; however, this product contains the following ingredients with a TPQ of less than 10,000 lbs.: None

SECTION 313 REPORTABLE INGREDIENTS (40 CFR 372): Not listed

Canada: While mixture has not been tested, due to the components within this product, it is considered a Class C Oxidizing Material under the Controlled Products Regulations. This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.



Class C Oxidizing Material

This product is not known to contain any components for which the State of California has found to cause California cancer, birth defects or other reproductive harm. Proposition 65:

International Inventories Component(s) of the product are on the following Inventory lists: TSCA, Australia (AICS), Canada (DSI), China, Europe (EINECS/ELINCS), Japan, Korea (ECI), and Philippines (PICCS)

GHS Acute oral toxicity LD50 (mg/kg): Calculated ATE LD50 (mg/kg) for product 1,749

ANSI 129.1 (USA) - Harmful OSHA HCS (USA) - Non-Toxic EPA (USA) - Toxic Category III CPSC (USA) - Non-Toxic

DOT (USA) - Packing Group III NFPA (USA) - Hazard Category 1 HMIS (USA) - Toxicity Rating 1

EU - Harmful

WHMIS (Canada) - Non-Toxic

Australia - Harmful Mexico - Mildly Toxic Malaysia - Not Harmful Japan – Powerful Korea - Harmful

SECTION 16 – OTHER INFORMATION

DISCLAIMER: This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bright International Corporation to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. Bright International Corporation assumes no responsibility for injury to the recipient or third persons or for any damage to any property resulting from misuse of the product.

