SAFETY DATA SHEET

PRODCUT NAME: Magnum 8 Lightener

FILE NO.: Mag8Lr1

MSDS DATE: 03/01/2017

# SAFETY DATA SHEET — 16 Sections

SE	CTION 1 – CH	EMICAL PRO	DUCT AND COM	PANY IDEN	TIFICATION
Product Identifier	Kenra Magı	num 8 Lighte	ner	[WHMIS Classification] Excluded	
Product Use	Personal Care/Use - Cosmetic - Hair Bleach			Revision 1	
Manufacturer's Name	Bright International Corporation				
Street Address	1301 West Inc	lustrial Drive (P	.O. Box 6)		
City	Coolidge	Coolidge		State	Arizona
Postal Code	85128	85128 Emergency Telephone		520.723.8001/ (	Chemtrec) 800-424-9300
Date MSDS Prepared	03/01/2017	MSDS Prepared By	Stacey J. LeBlanc	Phone Number	520.316.7628

Route of Entry	☑Skin Contact	☐ Skin Absorption	☑ Eye Contact	✓Inhalation	✓Ingestion	
[Emergency Overview] This is a personal care or cosmetic pro				afe for consun	ners and other users under	
	intended and reas	onably foreseeable				
[WHMIS Symbols]	NA		Classification	Classification: Oxidizer Class 1 Acute Toxicity 4; Skin Irritation 3; Eye Irritation 2A		
			Signal Word:		4, Skiii iiiitatioii 3, Eye iiiitatioii 2A	
[Potential Health	Effects]		<u> </u>	<u> </u>		
	espiratory tract irritant. Merately toxic (Category		Hazard Stateme			
Irritant (skin an Acute Toxicity Respiratory Tra	(harmful)	Respiratory Tract Irritant	H270: May caus H303: May be ha H305: May be ha H313: May be ha H317: May caus H319: Causes si H334: May caus	e or intensify fire; oxi armful if swallowed armful if swallowed a armful in contact with e an allergic skin rea erious eye irritation	nd enters airways skin ction symptoms or breathing difficulties if inhaled	
P103: Read label P232: Protect fro P233: Keep conta	of reach of children I before use		P262: Do not ge P264: Wash han P270: Do not ea	athing dust/fume/gas t in eyes, on skin, or ds thoroughly after h t, drink or smoke who nal protective equipr	on clothing andling en using this product	
P301+310+330+: vomiting; Im P302+P313+P33 irritation or: P304+P313+P34 fresh air an Get medica P305+P313+P33 several min	autionary Statement 331: IF SWALLOWED: Rinse mediately call a POISON CENTER 33+352: IF ON SKIN: Wash wi a rash occurs, get medical ad 1 IF INHALED: If breathing is d keep at rest in a position col I advice/attention if breathing 77+351+338: IF IN EYES: Rins utes. Remove contact lenses sing. If eye irritation persists, ntion	R or doctor/physician ith soap and water; If skin vice/attention difficult, remove victim to mfortable for breathing. difficulty continues. se cautiously with water fo if present and easy to do-	P402+404: Store P403+233: Store		e in a closed container place. Keep container tightly closed	



SAFETY DATA SHEET FILE NO.: Mag8Lr1
PRODCUT NAME: Magnum 8 Lightener MSDS DATE: 03/01/2017

SECTIO	N 3 – C	OMPOSITI	ON/INFORMATION ON INGRED	DIENTS
Hazardous Ingredients (specific)	%	CAS Number	LD <sub>50</sub> of Ingredient (specify species and route)	LC <sub>50</sub> of Ingredient (specify species)
Potassium Persulfate	25 – 35	7727-21-1	DERMAL LD <sub>50</sub> : > 2,000 mg/kg (rat) ORAL LD <sub>50</sub> : 700 mg/kg (rat)`	> 2.95 mg/L (Rat) (4-hr)
Sodium Silicate	25 - 35	1344-09-8	ORAL LD <sub>50</sub> : 3,400 mg/kg (rat)	> 2.06 g/m <sup>3</sup> (Rat)
Magnesium Carbonate Hydroxide	10 – 20	12125-28-9	ORAL LD50: 6,250 mg/kg (rat)	ND
Ammonium Persulfate	8 - 12	7727-54-0	DERMAL LD <sub>50</sub> : > 2,000 mg/kg (rabbit) ORAL LD <sub>50</sub> : 742 mg/kg (male rat) ORAL LD <sub>50</sub> :700 mg/kg (female rat)	> 2.95 mg/1 (4 h) (rat)
Mineral Oil	1 - 5	8042-47-5	ORAL LD50: >5,000 mg/kg (rat )	ND
Xanthan Gum	1 – 3	11138-66-2	ORAL >5000 mg/kg (rats)	ND
Disodium EDTA	1 - 2	60-00-4	ORAL LD50: >2,000 mg/kg (rat )	>1.46 mg/L (7-hr LCLO) (Rat

INCI Ingredient List:: Potassium Persulfate, Sodium Silicate, Magnesium Carbonate Hydroxide, Ammonium Persulfate, Mineral Oil, Xanthan Gum, Disodium EDTA, Glycine, Hydrated Silica, Polyquarternium-4, Sodium Hexametaphosphate, Dimethiconol, Sodium Sulfate, Ammonium Sulfate, Ultramarine, Fragrance

# **SECTION 4 – FIRST AID MEASURES**

Skin Contact: Flush with water for at least 15 minutes. If irritation occurs and persists, obtain medical attention.

Eye Contact: Flush with water for at least 15 minutes. If irritation occurs and persists, obtain medical attention.

Inhalation: Remove to fresh air. If breathing difficulty or discomfort occurs and persists, contact a medical doctor.

Ingestion: Rinse mouth with water. Dilute by giving 1 or 2 glasses of water. Do not induce vomiting unless advised by physician. Never give anything by mouth to an unconscious person. See a medical doctor immediately.

**NOTES TO MEDICAL DOCTOR**: This product has moderate oral toxicity and is minimally irritating to the eyes. Flooding of exposed areas with water is suggested, but gastric lavage or emesis induction for ingestions must consider the possible aggravation of esophageal injury and the expected absence of systemic effects. Treatment is controlled removal of exposure followed by symptomatic and supportive care.

Flammable ☐ Yes ☑No	If yes, under which conditions?	
Means of Extinction: Deluge with Water	er only	
Flashpoint (°C) and Method: NA	Upper Flammable Limit: <b>Non-Combustible</b> (% by volume):	Lower Flammable Limit: Non-Combustible (% by volume):
Autoignition Temperature (°C)	Explosion Data: Not Available — Sensitivity to Impact:	Explosion Data: <b>Not Available</b> — Sensitivity to Static Discharge
Hazardous Combustion Products: Oxyg	gen that supports combustion and oxides of sulfur a	and nitrogen; Hydrogen
Fire Fighting Procedures/Equipment: Do	not use carbon dioxide or other gas filled fire exti	nguishers; they will have no effect on

SAFETY DATA SHEET FILE NO.: Mag8Lr1
PRODCUT NAME: Magnum 8 Lightener MSDS DATE: 03/01/2017

## **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

Leak and Spill Procedures: Spilled material should be collected and put in approved DOT container and isolated for disposal. Isolated material should be monitored for signs of decomposition (fuming/smoking). If spilled material is wet, dissolve with large quantity of water and dispose. All disposals should be carried out according to regulatory agencies procedures.

#### Personal Protection:

Wear chemical goggles, body-covering protective clothing, chemical resistant gloves, and rubber boots, NIOSH-approved dust respirator where dust occurs. See section 8.

#### Small Spill Cleanup:

Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust Use appropriate Personal Protective Equipment (PPE). See section 8.

#### Large Spill Cleanup

Keep unnecessary people away; isolate hazard area and deny entry. Do not touch or walk through spilled material. Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust. Use appropriate Personal Protective Equipment (PPE). See section 8. In case of contact with water, prevent runoff from entering into storm sewers and ditches, which lead to natural waterways. Neutralize contaminated area and flush with large quantities of water. Comply with applicable environmental regulations.

### **SECTION 7 – HANDLING AND STORAGE**

Handling Procedures and Equipment: Use only with adequate ventilation and avoid inhalation. Avoid contact with eyes and skin (other than areas of application). Do not inhale or ingest. Prepare and use in a well-ventilated area. Use adequate ventilation when transferring product from bags or drums. Wear respiratory protection if ventilation is inadequate or not available. Use eye and skin protection. Use clean plastic or stainless steel scoops only.

Storage Requirements: Store (unopened) in a cool, clean, dry place away from point sources of heat, e.g. radiant heaters or steam pipes. Use first in, first out storage system. Avoid contamination of opened product. Do not store with or near fuels, solvents or other organic materials. Avoid heat, moisture and reducing agents. In case of fire or decomposition (fuming/smoking) deluge with plenty of water to control decomposition.

SECTI	ON 8 – EXP	OSURE CON	NTROL/P	ERSONAL	PROTECTI	ON
Exposure Limits ACGIH TL	.V 0.1 mg/m <sup>3</sup> (Potass	sium Persulfate) 🗹 O	SHA PEL Not E	stablished 🗹 Othe	r (specify) 15 mg/m	n <sup>3</sup> Total Dust
Specific Engineering Controls material, such as in the manufause. For handling large quantit (general): Explosion proof.	acturing of product	t, ventilation should	be utilized. Lo	cal exhaust venti	ation is not typica	ally required for product
Personal Protective Equipment If checked, please specify type	☑ Gloves	☐ Respirator	☑ Eye	☐ Footwear	☑ Clothing	☑ Other
Plastic or rubber gloves should irritation. Apron may be used for stored inside product contain	or product handling					

SAFETY DATA SHEET
PRODCUT NAME: Magnum 8 Lightener
FILE NO.: Mag8Lr1
MSDS DATE: 03/01/2017

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES				
Physical State: Solid	Odor and Appearance : Moist Violet Powder with Lavender Fragrance	Odor Threshold (ppm) : Not Determined		
Specific Gravity: (water = 1) 1.4 - 1.5	Vapor Density (air = 1) : NA	Vapor Pressure (mmHg) : NA		
Evaporation Rate: NA	Boiling Point (°C) : NA	Freezing Point (°C) : NA		
pH : (1% aqueous) 10 su - 11 su	Coefficient of Water/Oil Distribution : NA	[Solubility in Water] : >100 g/L (dispersible )		

SECTION 10 – STABILITY AND REACTIVITY				
Chemical Stability ☑Yes ☐ No If no, under which conditions?				
Incompatibility with Other Substances  ☑ Yes ☐ No If yes, which ones?	Acids, alkalis, halides (fluorides, chlorides, bromides and iodides), combustible materials, most metals and heavy metals, oxidizable materials, other oxidizers, reducing agents, cleaners, and organic or carbon containing compounds.			
Conditions to Avoid:	Heat, moisture and contamination.			
Hazardous Decomposition Products	Oxygen that supports combustion and oxides of sulfur and nitrogen; Hydrogen			

No toxicological testing has been performed on this product.	Information in this section is based on toxicology of individual components.
Effects of Acute Exposure	
Irritation of eyes, skin and mucous membranes. Possible ir onset of which may be delayed.	rritant/allergic dermatitis and respiratory signs and symptoms, the
Effects of Chronic Exposure	
Possible allergic dermatitis. Possible respiratory sensitizati	ion could occur.
Irritancy of Product: Product is known to be a moderate irritant	
Skin Sensitization: Can cause irritation and possible dermatitis. Can exacerbate dermatological issues such as eczema.	Respiratory Sensitization: Irritant and can exacerbate bronchitis and bronchial asthma
Carcinogenicity — IARC: No components recognized as carcinogenic	Carcinogenicity — ACGIH: No components recognized as carcinogenic
	Teratogenicity: No components recognized as being teratogen
Reproductive Toxicity: No components recognized as being reproductive toxin	
	Mutagenicity: No components recognized as being mutagen

SAFETY DATA SHEET FILE NO.: Mag8Lr1
PRODCUT NAME: Magnum 8 Lightener MSDS DATE: 03/01/2017

### **SECTION 12 – ECOLOGICAL INFORMATION**

The product itself has not been tested as a whole, but the following results have been associated with some of its constituents:

Potassium/Sodium Persulfate: Bluegill sunfish, 96-hour LC50 = 771 mg/L Rainbow Trout, 96-hour LC50 = 163 mg/L Daphnia, 48-hour LC50 = 133 mg/L Grass shrimp, 96 hour LC50 = 519 mg/L

Sodium Silicate
Brachydanio rerio 96 Hr LC<sub>50</sub>: 1,108 mg/L
Daphnia magna, 48-hr EC<sub>50</sub> = 1,700 mg/L
Ammonium Sulfate

Water flea Daphnia: LC50 = 423 mg/L; 25 Hr;

Disodium EDTA Fish 96 Hr LC $_{50}$ : >100 mg/L Daphnia magna, 48-hr EC $_{50}$  = 140 mg/L Xanthan Gum Rainbow trout: 96-hour  $LC_{50}$  = 490 mg/L. Daphnia magna: 48-hour  $LC_{50}$  = 980 mg/L

Silica

Pseudokirchneriella subcapitata 72 Hr EC<sub>50</sub>: 440 mg/L Brachydanio rerio 96 Hr LC<sub>50</sub>: 5000 mg/L [static] Ceriodaphnia dubia 48 Hr EC<sub>50</sub>: 7600 mg/L

Ammonium Persulfate Bluegill sunfish, 96-hr LC50 103 mg/L Rainbow trout, 96-hr LC50 76.3 mg/L Daphnia, 48-hr LC50 = 120 mg/L Grass shrimp. 96-hr LC50 = 391 mg/L

CHEMICAL FATE: Biodegradability does not apply to inorganic substances.

# **SECTION 13 – DISPOSAL CONSIDERATIONS**

Waste Disposal: Hair bleaching products are ignitable RCRA hazardous wastes when intended for disposal. Physical and/or chemical deactivation/degradation is the required method of treatment and disposal.

RCRA HAZARD CLASS: D001

Follow all local governmental requirements intended for disposal.

#### SECTION 14 – TRANSPORT INFORMATION

Please be aware of carrier transport variations before shipping hazardous materials.

[USDOT]

**In Consumer Packaging:** ORM-D; Consumer Commodity or Limited Quantity LABELING: ORM-D Label or Black and White square on point without "Y"

#### OTHER THAN CONSUMER PACKAGING:

ID NUMBER: UN 1479

PROPER SHIPPING NAME: Oxidizing solid, n.o.s.

TECHNICAL NAME: (Ammonium Persulfate, and Potassium Persulfate)

HAZARD CLASS: 5.1 PACKING GROUP: III

LABELING: Yellow 5.1 Oxidizer Label

[ICAO/IATA]

In Consumer Packaging: Limited quantity (maximum net quantity per package) <10 kg

ID NUMBER: UN 1479

PROPER SHIPPING NAME: Oxidizing solid, n.o.s.

TECHNICAL NAME: (Ammonium Persulfate, and Potassium Persulfate)

HAZARD CLASS: 5.1 PACKING GROUP: III

LABELING: Black and White square on point with "Y" in center

OTHER THAN CONSUMER PACKAGING: <25 kg (passenger) or <100 kg (cargo)

ID NUMBER: UN 1479

PROPER SHIPPING NAME: Oxidizing solid, n.o.s.

TECHNICAL NAME: (Ammonium Persulfate, and Potassium Persulfate)

HAZARD CLASS: 5.1 PACKING GROUP: III

LABELING: Yellow 5.1 Oxidizer Label



Page 5 of 6

SAFETY DATA SHEET FILE NO.: Mag8Lr1 **PRODCUT NAME: Magnum 8 Lightener** MSDS DATE: 03/01/2017

# SECTION 15 - REGULATORY INFORMATION

[WHMIS Classification] EXCLUDED as Cosmetic

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE **COMPENSATION AND LIABILITY ACT)** 

CERCLA DESIGNATION & REPORTABLE QUANTITIES (RQ) (40 CFR 302.4): Unlisted, RQ 100 lbs., Ignitability
TSCA (TOXIC SUBSTANCE CONTROL ACT)

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT) SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355, APPENDIX A): Not listed

TSCA INVENTORY STATUS (40 CFR 710):

This product is not required to be listed under TSCA. However, the ingredients of this product are listed on the TSCA inventory

SECTION 311 HAZARD CATEGORIES (40 CFR 370): Fire Hazard, Immediate (Acute) Health Hazard

RCRA (Resource Conservation and Recovery Act)

SECTION 312 THRESHOLD PLANNING QUANTITY (40 CFR 370): The Threshold Planning Quantity (TPQ) for this product, if treated as a mixture, is 10,000lbs; however, this product contains the following ingredients with a TPQ of less than 10,000 lbs.: None Unused material would be classified as an Ignitable Waste (D001) and should be handle appropriately according Local, State, and Federal laws.

SECTION 313 REPORTABLE INGREDIENTS (40 CFR 372): Not listed

Canada: While mixture has not been tested, due to the components within this product, it is considered a Class C Oxidizing Material under the Controlled Products Regulations. This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.



Class C Oxidizing Material

California This product is not known to contain any components for which the State of California has found to cause

Proposition 65: cancer, birth defects or other reproductive harm.

International Inventories Component(s) of the product are on the following Inventory lists: TSCA, Australia (AICS), Canada (DSI), China, Europe (EINECS/ELINCS), Japan, Korea (ECI), and Philippines (PICCS)

GHS Acute oral toxicity LD50 (mg/kg): Calculated ATE LD50 (mg/kg) for product 1,479

ANSI 129.1 (USA) - Harmful OSHA HCS (USA) - Non-Toxic EPA (USA) - Toxic Category III CPSC (USA) - Non-Toxic

DOT (USA) - Packing Group III NFPA (USA) - Hazard Category 1 HMIS (USA) - Toxicity Rating 1

EU - Harmful

WHMIS (Canada) - Non-Toxic

Australia - Harmful Mexico - Mildly Toxic Malaysia - Not Harmful Japan – Powerful Korea - Harmful

# **SECTION 16 – OTHER INFORMATION**

**DISCLAIMER**: This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bright International Corporation to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. Bright International Corporation assumes no responsibility for injury to the recipient or third persons or for any damage to any property resulting from misuse of the product.