Page 1 of 7 **KC-003**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 11/19/2018 1. PRODUCT & COMPANY IDENTIFICATION #mydentity SEMI-PERMANENT HAIR COLOR CREAM (ALL SHADES) 1.1 Product Name: Chemical Name: 1.2 1.3 NA 1.4 Trade Names #mydentity™@GUY-TANG Semi-Permanent Hair Color Cream (All Shades) 1.5 Product Uses & Restrictions Professional or Cosmetic Use Only Distributor's Name: C-CARE, LLC 1.6 Distributor's Address: 979 Corporate Boulevard, Linthicum Heights, MD 21090 USA 1.7 1.8 **Emergency Phone** CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN XXXXX) 1.9 Business Phone / Fax: +1 (410) 850-0035 2. HAZARDS IDENTIFICATION This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS according to the Hazard Identification: 2.1 classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). WARNING! CAUSES MILD SKIN IRRITATION. CAUSES EYE IRRITATION. Classification: Skin Irrit. 3; Eye Irrit. 2B 2.2 Label Elements: Hazard Statements (H): H316 - Causes mild skin irritation. H320 - Causes eye irritation. Precautionary Statements (P): P264 - Wash hands and exposed skin areas with soap and warm water thoroughly after handling. P270 - Do not eat, drink or smoke while using this product. P280 Wear protective gloves and eye/face protection. P305+P351+P338 – IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P332+P313 - If skin irritation occurs: get medical advice/attention. P405 - Store locked up. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). Other Warnings: KEEP OUT OF REACH OF CHILDREN. NOTICE: This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty, expressed or implied, if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy. If a severe allergic reaction should occur, seek immediate medical attention. This product must not be used for dyeing the eyelashes or eyebrows - to do so may cause blindness 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC OSHA ppm ppm ppm ES. ES-ES-CHEMICAL NAME(S) RTECS No. EINECS No. STEL STEL PEAK PEL STEL IDLH OTHER CAS No. TWA ZC0110000 231-791-2 50-70 NA NA 7732-18-5 NA NA NF NF NF NA WATER / AQUA TY2000000 200-338-0 NA 57-55-6 1-15 NA NA NF NF NF NA NA PROPYLENE GLYCOL Skin Irrit. 3; Eye Irrit. 2;H316; H320 NA NF NF NA 36653-82-4 MM0225000 253-149-0 1-15 NA NA NF NA CETYL ALCOHOL 267-008-6 1-15 NA NA NA 67762-27-0 NA NF NF NF NA NA CETEARYL ALCOHOL NA NA NA NA NF NF NF 68439-49-6 NA NA 5.0-10 NA CETEARETH-20 112-92-5 RG2010000 204-017-6 0.1-15 NA NA NF NF NF NA NA NA STEARYL ALCOHOL NA NA NA 0.1-10 NA NA NF NF NF NA NA NA #mydentity: PROPRIETARY BLEND NA NA NA 0.1-10 NA NA NF NF NF NA NA NA KERATIN AMINO ACIDS MAY ALSO CONTAIN: NA NA NA 0-2 NA NA NF NF NF NA NA NA BASIC GREEN 6 221-326-1 0-2 NA 3068-39-1 NA NA NA NF NF NF NA NA BASIC RED XR2275000 0-2 NF NA RESP 13463-67-7 236-675-5 (15)NA NF NF (15)NA CI 77891 (TITANIUM DIOXIDE) 68123-13-7 NA 268-544-3 0-2 NA NA NF NF NF NA NA NA CI 56059 (BASIC BLUE 99)

Page 2 of 7 **KC-003**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 2.1

SDS Revision Date: 11/19/2018

3	B. COMP	OSITION	& INGREI	DIENT	INF	ORN	IATI	ON -	- co	nťd			
									SURE LI			g/m³)	
					AC	GIH		NOHSC			OSHA		
					p	om		ppm			ppm		
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
MAY ALSO CONTAIN:	GAO NO.	INTEGO NO.	LINE CO NO.	,,,		10.22	11112	UILL			UILL	IDEI	OTTLER
4-HYDROXYPROPYLAMINO-3-	92952-81-3	NA	NA	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
NITROPHENOL	32332 01 3	11471	1147.	0 0.1	14/1	14/1	141	141	141	14/1	14/1	14/1	1
	26381-41-9	NA	247-640-9	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
BASIC BROWN 16			-										
CI 20470 (ACID BLACK 9)	1064-48-8	NA	213-903-1	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
		1	T	10.04	L 114		N	NE	N.E		L 1.14		
DISPERSE BLACK 9	20721-50-0	NA	243-987-5	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
	74578-10-2	NA	277-929-5	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
HC BLUE NO. 15	7 1070 10 2	100	277 020 0	1									
LINIALOOL	78-70-6	NA	201-134-4	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
LINALOOL					1		1				1		_
ACID VIOLET 43	4430-18-6	NA	224-618-7	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
	00004.00.0	Tara	000 044 4	0.04	L NIA	NIA	NIE	NIT	NIE	NΙΛ	NIA.	NIA.	
BASIC RED 76	68391-30-0	NA	269-941-4	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	<u> </u>
	68391-31-1	NA	269-943-5	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
CI 12719 (BASIC YELLOW 57)	-	1	1======	0 0							1		1
DA 010 DI 115 54	15000-59-6	NA	NA	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
BASIC BLUE 54							1						
BASIC VIOLET 4	2390-59-2	NA	219-231-5	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
Brisle Viele i		1	1	1							1		
ALUMINA	1344-28-1	BD1200000	215-691-6	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
	5989-27-5	GW6360000	227-813-5	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
LIMONENE	0000 27 0	01110000000	1227 010 0	0 0.1	1471	1471				.,,,	1171	100	ALLEROLIA
CERANICI	106-24-1	RG5830000	203-377-1	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
GERANIOL		kin Sens. 1; Eye											
COUMARIN	91-64-5	NA	202-086-7	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
		al 3; Aquatic Acu			L NIA	NIA.	NE	NE	NE	NIA.	L NIA	L NIA	
BASIC VOILET NO. 2	3248-91-7	NA	221-831-7	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	1
	97404-02-9	NA	306-764-4	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
BASIC ORANGE 31													
BASIC YELLOW 40	29556-33-0	NA	249-694-9	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
BASIC TELECOV 40		1	1		1						1		
BASIC VIOLET 16	6359-45-1	NA	228-799-3	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
	12219-01-1	NA	NA	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	I
ACID BLACK 1	12213-01-1	LINA	INA	U-U. I	INA	INA	INF	INF	INF	INA	INA	INA	<u> </u>
DACIO VELLONI 07	68259-00-7	NA	269-503-2	0-1	NA	NA	NF	NF	NF	NA	NA	NA	
BASIC YELLOW 87													
BASIC RED 51	77061-58-6	NA	278-601-4	0-1	NA	NA	NF	NF	NF	NA	NA	NA	
		Aquatic Acute 1;											T
Red 27 AL LAKE	15876-58-1	NA	NA	0-1	NA	NA	NF	NF	NF	NA	NA	NA	
	69201 22 2	NA	296-944-0		1	Ι	l				1	1	
BASIC BROWN 17	68391-32-2	INA	290-944-0				J.						
LIC DILUE NO. 0	33229-34-4	NA	251-410-3	0-1	NA	NA	NF	NF	NF	NA	NA	NA	
HC BLUE NO. 2													
HC BLUE 16	502453-61-4	NA	481-170-7	0-1	NA	NA	NF	NF	NF	NA	NA	NA	
	0707465	TNIA	000 005 0	0.4	NIA.	NIA.	NIE	NIT	NIT	NIA.	NI A	NIA.	
DISPERSE BLUE 377	67674-26-4	NA	266-865-3	0-1	NA	NA	NF	NF	NF	NA	NA	NA	
	2784-89-6	NA	220-494-3	0-1	NA	NA	NF	NF	NF	NA	NA	NA	
HC RED NO. 1	2104-03-0	114/7	1220-434-0	10 1	11/7	14/7		. 41		1 1/7	14/7	11/	I
	•												

Page 3 of 7 **KC-003**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 11/19/2018 4. FIRST AID MEASURES If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an 4 1 First Aid: Ingestion: unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. Eyes: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. If irritation occurs, contact a physician. Skin: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. Inhalation: Remove victim to fresh air at once. 4.2 Effects of Exposure: Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and Eyes: Skin: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Inhalation: None expected. 4.3 Symptoms of Overexposure: Ingestion: Nausea, intestinal discomfort, vomiting and/or diarrhea. Eyes: Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Skin: product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. 4.4 Acute Health Effects: Moderate irritation to eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and watering. Moderate irritation to skin near affected areas. 4.5 Chronic Health Effects: No harmful or chronic health effects are expected to occur from a single accidental ingestion. 4.6 Target Organs: Eves. Skin Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 4.7 Medical Conditions Aggravated by Exposure: target organs (eyes, skin). FLAMMABILITY 0 **PHYSICAL HAZARDS** 0 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES This product is not flammable. 5.1 Fire & Explosion Hazards: CO2, Halon (if permitted), Dry Chemical, Foam, as authorized. 5.2 Extinguishing Methods: As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-Firefighting Procedures: 5.3 demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES 61 Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Do not eat, drink, or smoke while handling this product. Wash thoroughly after handling. Avoid contact with flammable or combustible materials. Avoid contamination from any source, including metals, dust and organic materials. Keep bulk covered. Wash unintentional residues with soap and warm water. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive 7.2 Storage & Handling: heat and open flames. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers from physical damage. Special Precautions Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

Page 4 of 7

KC-003 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 11/19/2018 8. EXPOSURE CONTROLS & PERSONAL PROTECTION NOHSC OTHER 8.1 Exposure Limits: **ACGIH** OSHA ppm (mg/m³) STEL ES-TWA ES-PEAK CHEMICAL NAME(S) ES-STEL STEL **IDLH** CI 77891 (TITANIUM DIOXIDE) (15)NA NF NF NF (15)NA NA RESP LINALOOL NA NA NF NF NF NA NΑ NA **ALLERGEN** LIMONENE NA NA NF NF NF NA NA NA **ALLERGEN GERANIOL** NA NA NF NF NF NA NA NA **ALLERGEN** COUMARIN NA NA NF NF NF NA NA **ALLERGEN** 8.2 General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general Ventilation & Engineering Controls exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). Respiratory Protection: 8.3 No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. Avoid eye contact. None required under normal conditions of use. When handling large quantities 8 4 Eye Protection: (e.g., ≥ 1 gallon (3.8 L)) safety glasses with side shields should be used. 8.5 Hand Protection: Required under normal conditions of use to prevent staining and keep exposure level to a minimum. Use latex or PVC gloves. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber or impervious plastic gloves must be worn. 8.6 Body Protection: No apron required when handling small quantities. Lab coat or apron should be worn to protect skin and clothing. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: Cream, color varies 9.2 Mild to no odor Odor Threshold: 9.3 NA 9.4 pH: 3.0 - 5.0 9.5 Melting Point/Freezing Point: NA 9.6 Initial Boiling Point/Boiling NA Range: 9.7 Flashpoint NA 9.8 Upper/Lower Flammability NA 9.9 Vapor Pressure: NA 9.10 Vapor Density NA 9.11 Relative Density: NA 9.12 Solubility: Slightly soluble 9.13 Partition Coefficient (log Pow): NA Autoignition Temperature: 9.14 NA 9.15 Decomposition Temperature: NA 9.16 Viscosity: 20,000 - 60,000 cPs 9 17 Other Information: NA 10. STABILITY & REACTIVITY Stable under normal conditions; unstable with heat or contamination. 10.1 Stability: 10.2 Hazardous Decomposition Oxides of carbon (CO, CO₂), nitrogen (NO_x) and sulfur (SO₂). Products: Hazardous Polymerization: 10.3 Will not occur. 10.4 Conditions to Avoid Open flames, sparks, high heat, incompatible substances and direct sunlight. 10.5 Incompatible Substances: Avoid extreme heat and ignition sources. Store away from oxidizers. 11. TOXICOLOGICAL INFORMATION Ingestion: YES Absorption: YES 11.1 Routes of Entry: Inhalation: YES Toxicity Data: 11.2 This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product, but is not presented in this document. 11.3 Acute Toxicity: Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.

This material may aggravate any pre-existing skin condition (e.g., dermatitis).

Titanium Dioxide: IARC Group 2B (possible human carcinogen); ACGIH A4 (not classified as a human carcinogen)

11.4

11.5

Chronic Toxicity:

Suspected Carcinogen:

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

Page 5 of 7 **KC-003**

SDS Revision Date: 11/19/2018

11. TOXICOLOGICAL INFORMATION – cont'd 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. 11.8 Biological Exposure Indices ΝE Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: The components of this product will slowly degrade over time into a variety of organic compounds. Effects on Plants & Animals: 12 2 There are no specific data available for this product. Effects on Aquatic Life 12.3 There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Products covered by this MSDS, in their original form, when disposed as waste, are considered non-hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations. Dispose of in accordance with federal, state and local regulations. Special Considerations: California Waste Code: 331 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): 14.1 NOT REGULATED NOT REGULATED 14.2 IATA (AIR): NOT REGULATED IMDG (OCN): 14.3 TDGR (Canadian GND): 14.4 NOT REGULATED 14.5 ADR/RID (EU): NOT REGULATED 14.6 SCT (MEXICO): NOT REGULATED ADGR (AUS): 14.7 **NOT REGULATED** 15. REGULATORY INFORMATION 15.1 SARA Reporting This product does not contain a substances subject to SARA Title III, Section 313 reporting requirements. Requirements 15.2 SARA Threshold Planning This product is not subject to the reporting requirements of SARA Title III, Section 302. Quantity: TSCA Inventory Status: 15.3 All components of this product are listed in the TSCA Inventory or are exempt. CERCLA Reportable Quantity 15.4 NA (RQ): 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects). 15.7 State Regulatory Information: No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). 15.8 Other Requirements: This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information, go to www.P65warnings.ca.gov.

Page 6 of 7 **KC-003**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.0

SDS Revision Date: 11/19/2018

		16. OTHER INFO	DRMATION			
16.1	Other Information:	WARNING! CAUSES MILD SKIN IRRITATION. CAUSES EYE IRRITATION. For external use only. Use only as directed. Discontinue use immediately if irritation develops. Wash hands and exposed skin areas with soap and warm water thoroughly after handling. Do not eat, drink or smoke while using this product. Wear protective gloves and eye/face protection. IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If skin irritation occurs: get medical advice/attention. Store locked up. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN. California Proposition 65: This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information, go to www.P65warnings.ca.gov. This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty expressed or implied if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy, If a severe allergic reaction should occur, immediately seek medical attention. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.				
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.				
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & C-Care, LLC's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.				
16.4	Prepared for:	C-Care, LLC 979 Corporate Blvd Linthicum Heights, MD USA Tel: +1 (410) 850-0035 http://www.c-care-company.com	C·Care Full Filling Service			
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting			

Page 7 of 7 **KC-003**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.0

SDS Revision Date: 11/19/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D		THE THE	
Е			
F		THE STATE OF THE S	





OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:		
Autoignition	Minimum temperature required to initiate combustion in air with no other source	
Temperature	of ignition	
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will	
	explode or ignite in the presence of an ignition source	
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will	
	explode or ignite in the presence of an ignition source	

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\ \ \ \ \
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	\sim 2
ALK	Alkaline	
COR	Corrosive	/ \ \ \ \
₩	Use No Water	HEALTH
ОХ	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

Lethal Dose (solids & liquids) which kills 50% of the exposed animals
Lethal concentration (gases) which kills 50% of the exposed animal
Concentration expressed in parts of material per million parts
Lowest dose to cause a symptom
Lowest concentration to cause a symptom
Lowest dose (or concentration) to cause lethal or toxic effects
International Agency for Research on Cancer
National Toxicology Program
Registry of Toxic Effects of Chemical Substances
Bioconcentration Factor
Median threshold limit
Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	®			Θ	(%)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\diamondsuit			\Diamond		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment